

'08

Front-loading washing
machines catalogue



front-loading' p.135

built-in' p.137

top-loading' p.140

washer-dryers' p.143

tumble-dryers' p.150

washing machines and





tumble-dryers' *Innovation*

8 kg in 50 minutes'

they are the fastest-working
washing machines



in 50 min.



in 30 min.



in 15 min.

Great solutions in standard sizes.
Respond to every need.

Fagor's new machines can handle an 8-kilo load even though they are still of standard size. Also, this 8 kg line offers three excellent programmes, depending on the weight of the load: 8 kilos in 50 minutes, 4 kilos in 30 minutes and 2 kilos in 15 minutes.



turbo-time
PLUS

Turbo-Time Plus.

**The washing machines that break records:
57% faster.**

They are the fastest-working washing machines in the market. They wash more clothes in less time, and also have the highest ratings for energy efficiency and wash quality.

Fagor	60°C	50%
other brands		faster
Fagor	40°C	54%
other brands		faster
Fagor	30°C	57%
other brands		faster
Fagor	cold	44%
other brands		faster

In Fagor machines, the most popular programmes, such as Cold, 30°C and 40°C do not take more than an hour, even with a maximum load.





you win and so does
the environment



This generation of Fagor 8 kilo washers aim at a balanced and sustainable relationship with the environment. They have therefore been awarded the highest ratings in energy savings and washing efficiency.



This year we have introduced three new 1,400 r.p.m models in the 8 kg range of washing machines: F-5814 and F-2814.

designed' to make your task easier



**ergonomic and
easy to use**

The innovative design of these washing machines, which makes it so easy to load and unload, is based on these three main characteristics:

- The hatch is 73 cm above floor level.
- The drum is tilted.
- The hatch is large (34 cm).

ergonomic design



Stainless steel or white base.
A more convenient height.

Because of this accessory, the washing machine is raised up by a few centimetres, for more convenient access to the inside.

It also includes a removable drawer.



34 cm hatch.
Easier loading and unloading.

With this large hatch, putting large items into the machine (for example, eiderdowns) will be easier.



73 cm high.
Access within arm's reach.

The hatch is 73 cm above the floor, compared to the market average of 61 cm. As a result, the user will be in a more comfortable position when loading and unloading.

The drum is tilted.
Better access to the clothes.

Thanks to the drum's position, tilted at a few degrees, access to the clothes is easier.



tilted drum



Instant and automatic opening.
Now, you don't have to bend down to open the hatch.

Allows the hatch to be opened immediately after the wash cycle has finished by simply pushing the button located on the control panel.

the information' you can see everything



3 viewing panels

Pure simplicity

These display panels allow us to choose easily, simply and precisely; as well as keeping us informed at all times of what is happening in the wash process.



Large LCD display: The information is presented clearly. It indicates the wash phases, the speed, delayed start and the easy iron, extra rinse and intensive wash options.

Phases of the wash programme.
Programing using text.
Time remaining.
Programme end time.

Safety lock.
Revolutions/Options/
Functions.
Language selection (15).
Time selection.



LCD display:

Phases of the wash programme.
Programme.
Time remaining.
Time delay.
Safety lock.
Revolutions/Options/
Functions.



LCD display + LEDs:

Phases of the wash programme.
Programme.
Time remaining.
Time delay.
Safety lock.
Revolutions/Options/
Functions.

your **safety'** is in its hands



Advanced Balance System.

A safer wash: Eliminates vibrations, reduces noise and extends the life of the washing machine

This system, exdclusive to Fagor, electronically controls and distributes the clothes evenly within the drum during the spin phase. The new stronger body also contributes to the stability and durability of the machine.



Washers that have been made safer to last longer.



Automatic safety systems.

They've got it all under control.

Peace of mind comes from knowing that, because everything is under control, nothing can go wrong. Fagor washers include all the systems necessary to ensure that the user is worry-free:

- Aquabloc: If the intake tube leaks, water intake is stopped.
- Lock function.
- Suds and overflow control.

giving your clothing the best possible treatment'



special programmes
For special cases

Professionals in the wash business like Fagor concern themselves with learning and responding to the user's daily needs. So our 8 kilo washers include special programmes. To wash large items, or remove difficult stains such as grass, chocolate or ink.


special programmes

A different programme for every special case

The 8 kilo line of washers has a series of specific programmes, such as:

- Eiderdown
- Fast: 15 and 30 minutes
- Mixed
- To remove difficult stains
- Antibacterial
- Curtains



tilted drum

Clothing care.
Washes every item more thoroughly.

As the drum is slightly tilted, the clothes move more in all directions, and so are washed more thoroughly.



New interior drum design.
Clothes are treated better.

The drum has more and smaller holes, so the clothes are treated more gently.



8 kg' electronic washing machines



Model and EAN	Specifications	Diagrams and measurements
 <p>F-5814 <small>new</small> white EAN-13: 8413880162980</p> <p>A+ energy A wash</p> <p>TT turbo-time PLUS ABS 8Kg in 50 min. P special programmes tilted drum</p>	<p>8 kg</p> <ul style="list-style-type: none"> • 1,400 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process; programme end time; duration and time remaining of programme; functions selected and spin speed selected • Function selection: <ul style="list-style-type: none"> - time clock; language; intensive wash; extra rinse; easy iron and spin from 0 to 1,400 r.p.m. and anti-crease • Instant hatch opening 	<p>850 x 590 x 590 mm.</p>
 <p>F-4812 <small>new</small> white EAN-13: 8413880152721</p> <p>A+ energy A wash</p> <p>TT turbo-time PLUS ABS 8Kg in 50 min. P special programmes tilted drum</p>	<p>8 kg</p> <ul style="list-style-type: none"> • 1,200 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process; delayed start for up to 24 hours; duration and time remaining of programme; functions selected and spin speed selected • Function selection: <ul style="list-style-type: none"> - intensive wash; extra rinse; easy iron and spin from 0 to 1,200 r.p.m. and anti-crease • Instant hatch opening 	<p>850 x 590 x 590 mm.</p>
 <p>F-2814 <small>new</small> white EAN-13: 8413880162973</p> <p>A+ energy A wash</p> <p>TT turbo-time PLUS ABS 8Kg in 50 min. P special programmes tilted drum</p>	<p>8 kg</p> <ul style="list-style-type: none"> • 1,400 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process; delayed start for up to 24 hours; duration and time remaining of programme and spin speed selected • Function selection: <ul style="list-style-type: none"> - intensive wash; extra rinse; easy iron and spin from 0 to 1,400 r.p.m. and anti-crease 	<p>850 x 590 x 590 mm.</p>
 <p>F-2812 X <small>new</small> stainless steel EAN-13: 8413880162966</p> <p>F-2812 <small>new</small> white EAN-13: 8413880152707</p> <p>A+ energy A wash</p> <p>TT turbo-time PLUS ABS 8Kg in 50 min. X stainless steel anti-fingerprint P special programmes tilted drum</p>	<p>8 kg</p> <ul style="list-style-type: none"> • 1,200 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process; delayed start for up to 24 hours; duration and time remaining of programme and spin speed selected • Function selection: <ul style="list-style-type: none"> - intensive wash; extra rinse; easy iron and spin from 0 to 1,200 r.p.m. and anti-crease 	<p>850 x 590 x 590 mm.</p>

Measurements: Height x Width x Depth


L 8, 6 and 5 kg' electronic washing machines

Model and EAN		Specifications	Diagrams and measurements
 <p>F-2810 ^{new} white EAN-13: 8413880152684</p> <p>A+ energy A wash</p> <p>TT turbo-time PLUS ABS in 50 min. 8Kg special programmes tilted drum</p>	<p>F-2810 ^{new} white EAN-13: 8413880152684</p> <p>A+ energy A wash</p> <p>TT turbo-time PLUS ABS in 50 min. 8Kg special programmes tilted drum</p>	<p>8 kg</p> <ul style="list-style-type: none"> • 1,000 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process; delayed start for up to 24 hours; duration and time remaining of programme and spin speed selected • Function selection: <ul style="list-style-type: none"> - intensive wash; extra rinse; easy iron and spin from 0 to 1,000 r.p.m. and anti-crease 	850 x 590 x 590 mm.
		<p>8 kg</p> <ul style="list-style-type: none"> • 800 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process; delayed start for up to 24 hours; duration and time remaining of programme and spin speed selected • Function selection: <ul style="list-style-type: none"> - intensive wash; extra rinse; easy iron and spin from 0 to 800 r.p.m. and anti-crease 	850 x 590 x 590 mm.
		<p>6 kg</p> <ul style="list-style-type: none"> • 1,400 r.p.m. • Turbo-Time • Cold washes in 1 hour • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process, delayed programming up to 24 hours, duration and time remaining of programme, selected spin speed • Functions: <ul style="list-style-type: none"> - intensive wash, extra rinse, easy iron, spin from 0 to 1,400 r.p.m. and anti-crease 	850 x 590 x 550 mm.
		<p>6 kg</p> <ul style="list-style-type: none"> • 1,200 r.p.m. • Turbo-Time • Cold washes in 1 hour • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process, delayed programming up to 24 hours, duration and time remaining of programme, selected spin speed • Functions: <ul style="list-style-type: none"> - intensive wash, extra rinse, easy iron, spin from 0 to 1,200 r.p.m. and anti-crease 	850 x 590 x 550 mm.
		<p>6 kg</p> <ul style="list-style-type: none"> • 1,100 r.p.m. • Turbo-Time • Cold washes in 1 hour • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process, delayed programming up to 24 hours, duration and time remaining of programme, selected spin speed • Functions: <ul style="list-style-type: none"> - intensive wash, extra rinse, easy iron, spin from 0 to 1,100 r.p.m. and anti-crease 	850 x 590 x 590 mm.

Measurements: Height x Width x Depth

Model and EAN	Specifications	Diagrams and measurements
 <p>3F-211 white EAN-13: 8413880141831</p> <p>A⁺ energy A wash</p> <p>ABS 5Kg in 1 hour</p>	<p>5 kg</p> <ul style="list-style-type: none"> • 1,100 r.p.m. • Turbo-Time • Cold washes in 1 hour • Interactive LCD display with information about the following: wash process, delayed programming up to 24 hours, duration and time remaining of programme, selected spin speed • Functions: intensive wash, extra rinse, easy iron, spin from 0 to 1,100 r.p.m. and anti-crease 	850 x 590 x 550 mm.
 <p>3F-109 white EAN-13: 8413880141817</p> <p>A⁺ energy A wash</p> <p>ABS 5Kg in 1 hour</p>	<p>5 kg</p> <ul style="list-style-type: none"> • 900 r.p.m. • Turbo-Time • Cold washes in 1 hour • Pilot lights: <ul style="list-style-type: none"> - delayed start (3, 6 and 9 hours) - wash cycles • Spin from 0 to 900 r.p.m. • Intensive wash and anti-crease 	850 x 590 x 550 mm.

6 kg' built-in washing machines

 <p>3F-3612 IT white EAN-13: 8413880141886</p> <p>A⁺ energy A wash</p> <p>Optional ITX kit EAN-13: 8413880095653 Cod. 999010038</p> <p>TT turbo-time PLUS ABS 6Kg in 50 min.</p>	<p>6 kg</p> <ul style="list-style-type: none"> • 1,200 r.p.m. • Turbo-Time Plus • Cold wash (50 minutes) • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process, delayed programming of up to 24 hours, duration and time remaining of programme, functions and selected spin speed • Functions: <ul style="list-style-type: none"> - intensive wash, extra rinse and easy iron, spin from 0 to 1,200 r.p.m. and anti-crease 	  <p>Includes 6 supplementary 10-mm strips (Max. height adjustment: 60 mm)</p>
 <p>3F-3610 IT white EAN-13: 8413880141879</p> <p>A⁺ energy A wash</p> <p>Optional ITX kit EAN-13: 8413880095653 Cod. 999010038</p> <p>ABS 5Kg in 1 hour</p>	<p>6 kg</p> <ul style="list-style-type: none"> • 1,000 r.p.m. • Turbo-Time • Cold washes in 1 hour • Interactive LCD display with information about the following: <ul style="list-style-type: none"> - wash process, delayed programming of up to 24 hours, duration and time remaining of programme, functions and selected spin speed • Functions: <ul style="list-style-type: none"> - intensive wash, extra rinse and easy iron, spin from 0 to 1,000 r.p.m. and anti-crease 	

Measurements: Height x Width x Depth

top loading'



5.5 kg load

Larger capacity, for fewer washes



Fagor's two new models of top-loading washing machines can handle 5.5 kilo loads. This will not only allow the user to reduce the number of washes, but also wash large items and reduce wrinkling.



Rapid wash.

A small amount of clothes can be washed in just 30 minutes (2.5 kg).



Hand wash.

It is as safe with delicate and woolen fabrics as hand washing.



Cold wash.

For all types of clothes.



Easier to iron.

The result is clothing which is practically wrinkle-free.



eco-fuzzy



energy



wash

Eco-fuzzy system.

Consumption is adjusted according to the load to give maximum efficiency with maximum energy savings.

They calculate the load of clothing by distinguishing between four levels: small, medium, normal and maximum.




Long Life System.

Longer washing machine life, more convenience for the home.

Great durability is guaranteed thanks to a stronger structure with anti-corrosion treatment, the only drum on the market made from steel and Politenax, and a new anti-blocking filter.

The comfort level is guaranteed by the lower noise levels, due to special shock-absorbers and counterweights in the drum itself.



Auto-compensated closure system.
Prevents the door from falling sharply.

Removable detergent container with four compartments.

With great capacity to drum access: 420 cm².
More convenient for loading and unloading clothes.

information



- 1_ Single dial programme and Temperature selector.
- 2_ Spin speed and anti-crease programme selector.
- 3_ Digital display.
- 4_ Function keys.
- 5_ Start/Pause key.



- 1_ Single dial programme and Temperature selector.
- 2_ Spin speed and anti-crease programme selector.
- 3_ Delayed start selector.
- 4_ Function keys.
- 5_ Start/Pause key.



- 1_ Single dial programme and Temperature selector.
- 2_ Spin speed and anti-crease programme selector.
- 3_ Function keys.
- 4_ Start/Pause key.

L Top-loading' 5.5 kg

Model and EAN		Specifications	Diagrams and measurements
 <p>1FET-313 W  white EAN-13: 8413880153841</p> <p>    </p>		<ul style="list-style-type: none"> • 1,300 r.p.m. • Cold wash • Digital display: <ul style="list-style-type: none"> - delayed start: 19 h. - time remaining indicator • Single dial programme and temperature selector • Selector for: <ul style="list-style-type: none"> - revolutions 100 to 1,300 r.p.m. and anti-crease • Pilot lights: <ul style="list-style-type: none"> - wash phases • Keys: <ul style="list-style-type: none"> - pre-wash - easy iron - extra rinse 	850 x 400 x 600 mm.
 <p>1FET-211 W  white EAN-13: 8413880153810</p> <p>    </p>		<ul style="list-style-type: none"> • 1,100 r.p.m. • Cold wash • Selector for: <ul style="list-style-type: none"> - delayed start: 19 h. • Single dial programme and temperature selector • Selector for: <ul style="list-style-type: none"> - revolutions 100 to 1,100 r.p.m. and anti-crease • Pilot lights: <ul style="list-style-type: none"> - wash phases • Keys: <ul style="list-style-type: none"> - pre-wash - easy iron - extra rinse 	850 x 400 x 600 mm.
 <p>1FET-109 W  white EAN-13: 8413880153780</p> <p>    </p>		<ul style="list-style-type: none"> • 900 r.p.m. • Cold wash • Single dial programme and temperature selector • Selector for: <ul style="list-style-type: none"> - revolutions 100 to 900 r.p.m. and anti-crease • Pilot lights: <ul style="list-style-type: none"> - wash phases • Keys: <ul style="list-style-type: none"> - pre-wash - easy iron - extra rinse 	850 x 400 x 600 mm.
 <p>1FET-107 W  white EAN-13: 8413880163789</p> <p>    </p>		<ul style="list-style-type: none"> • 700 r.p.m. • Cold wash • Single dial programme and temperature selector • Selector for: <ul style="list-style-type: none"> - revolutions 100 to 700 r.p.m. and anti-crease • Pilot lights: <ul style="list-style-type: none"> - wash phases • Keys: <ul style="list-style-type: none"> - pre-wash - easy iron - extra rinse 	850 x 400 x 600 mm.

Measurements: Height x Width x Depth

washer-dryers'

twice as many advantages, in one machine

class B in energy efficiency

Look after your clothes and the environment



Fagor's washer-dryers include not only the systems necessary to look after each item perfectly, but are also good for the environment.

LCD

It provides real-time information on the washing and drying process



Wash and drying phases.







Time remaining.

Safety lock.








Revolutions.

Its display indicates the remaining washing and drying process time. For drying, the user can select up to a maximum time of 180 minutes.

L washer-dryers'

Model and EAN	Specifications	Diagrams and measurements
 <p>3FS-3611 white EAN-13: 8413880142029</p> <p>  wash     </p>	<ul style="list-style-type: none"> • 1,100 r.p.m. • Turbo-Time • Cold washes in 1 hour • Interactive LCD: <ul style="list-style-type: none"> - continuous information about wash and drying process, - time delay indicator up to 24 hours, - programme time remaining indicator, - information about functions • Spin from 0 to 1,100 r.p.m. and anti-crease • Button: drying • Functions: <ul style="list-style-type: none"> - intensive wash, - extra rinse, - easy iron 	850 x 590 x 550 mm.

L built-in electronic washer-dryers'

 <p>3FS-3611 IT white EAN-13: 8413880142036</p> <p>Optional ITX kit EAN-13: 8413880095653 Cod. 999010038</p> <p>  wash     </p>	<ul style="list-style-type: none"> • 1,100 r.p.m. • Turbo-Time • Cold washes in 1 hour • Interactive LCD: <ul style="list-style-type: none"> - continuous information about wash and drying process, - time delay indicator up to 24 hours, - programme time remaining indicator, - information about functions • Spin from 0 to 1,100 r.p.m. and anti-crease • Button: drying • Functions: <ul style="list-style-type: none"> - intensive wash, - extra rinse, - easy iron 	 <p>Includes 6 supplementary 10-mm strips (Max. height adjustment: 60 mm)</p>
--	---	--

Electronic front loading^{*} washing machines

		FREE-STANDING								
		8 kg.						6 kg.		
		F-5814	F-4812	F-2814	F-2812 X F-2812	F-2810	F-2808	3F-2614	3F-2612	3F-2611 X 3F-2611
GENERAL FEATURES										
Maximum spin speed (r.p.m.)		1,400	1,200	1,400	1,200	1,000	800	1,400	1,200	1,100
Wash capacity (kg.)		8	8	8	8	8	8	6	6	6
Electronic Variable Load		•	•	•	•	•	•	•	•	•
Accessible self-cleaning filter		•	•	•	•	•	•	•	•	•
Number of detergent sections in tray		3	3	3	3	3	3	3	3	3
Instant loading door opening system		•	•							
Turbo Time Plus		•	•	•	•	•	•			
ABS system		•	•	•	•	•	•	•	•	•
Gradual spin		•	•	•	•	•	•	•	•	•
180° opening door		•	•	•	•	•	•	•	•	•
Large 34 cm. hatch		•	•	•	•	•	•	32	32	32
Polypropylene drum		•	•	•	•	•	•	•	•	•
PROGRAMMING										
Single-dial programme selector		•	•	•	•	•	•	•	•	•
Interactive LCD display		•	•	•	•	•	•	•	•	•
Shorter programmes		•	•	•	•	•	•	•	•	•
Electronic clock		•								
Programmes	Intensive	•	•	•	•	•	•	•	•	•
	Energetic with pre-wash							•	•	•
	Normal	•	•	•	•	•	•	•	•	•
	Delicate	•	•	•	•	•	•	•	•	•
	Hand wash (Wool)	•	•	•	•	•	•	•	•	•
	Cold	•	•	•	•	•	•	•	•	•
	Quick (30 minute)							•	•	•
Special programmes	Fast: 4 kg in 30 minutes	•	•	•	•	•	•			
	Fast: 2 kg in 15 minutes	•	•	•	•	•	•			
	Antibacterial	•	•	•	•	•	•			
	To remove difficult stains	•	•	•	•	•	•			
	Eiderdown	•	•	•	•	•	•			
	Curtains	•	•	•	•	•	•			
	Mixed	•	•	•	•	•	•			
OPERATING CONTROL										
Keys / Functions	Delayed start	End time	24 h.	24 h.	24 h.	24 h.	24 h.	24 h.	24 h.	24 h.
	Start / Stop	•	•	•	•	•	•	•	•	•
	Start / Pause	•	•	•	•	•	•	•	•	•
	Easy iron	•	•	•	•	•	•	•	•	•
	Intensive Wash	•	•	•	•	•	•	•	•	•
	Extra rinse	•	•	•	•	•	•	•	•	•
	Programme time/end adjustment	•								
Indicators	Spin and anti-crease control	•	•	•	•	•	•	•	•	•
	Continual information on the washing process	•	•	•	•	•	•	•	•	•
	Time remaining	•	•	•	•	•	•	•	•	•
Indicators	Lock selection	•	•	•	•	•	•	•	•	•
SAFETY										
Aquabloc		•								
Suds control		•	•	•	•	•	•	•	•	•
Anti-overflow		•	•	•	•	•	•	•	•	•
TECHNICAL SPECIFICATIONS										
Energy class		A+	A+	A+	A+	A+	A+	A+	A+	A+
Wash efficiency		A	A	A	A	A	A	A	A	A
Spin class efficiency		B	B	B	B	C	D	B	B	C
Consumption	Electricity (kWh)*	1.36	1.36	1.36	1.36	1.36	1.36	1.02	1.02	1.02
	Water (L)*	59	59	59	59	59	59	49	49	49
Total installed power (W)		2,200	2,200	2,200	2,200	2,200	2,200	2,200	2,200	2,200
Voltage / Frequency (V/Hz)		220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50	220-240/50
Current (A)		10	10	10	10	10	10	10	10	10
DIMENSIONS										
Dimensions with worktop (mm)	Height	850	850	850	850	850	850	850	850	850
	Width	590	590	590	590	590	590	590	590	590
	Depth	590	590	590	590	590	590	550	550	550

(*) Consumption is measured at 60° C according to EN-60456

(*) Height without worktop

Base



Stainless steel base

Cod. 995990058
EAN-13: 8413880159492



White base

Cod. 995990021
EAN-13: 8413880159485

Suitable for all front-loading 8 kilo washers.

FREE-STANDING		BUILT-IN		
5 kg.		6 kg.		
3F-211	3F-109	3F-3612 IT	3F-3610 IT	
GENERAL FEATURES				
1,100	900	1,200	1,000	Maximum spin speed (r.p.m.)
5	5	6	6	Wash capacity (kg.)
●	●	●	●	Electronic Variable Load
●	●	●	●	Accessible self-cleaning filter
3	3	3	3	Number of detergent sections in tray
				Instant loading door opening system
		●		Turbo Time Plus
●	●	●	●	ABS system
●	●	●	●	Gradual spin
●	●			180° opening door
32	32	30	30	Large 34 cm. hatch
●	●	●	●	Polypropylene drum
PROGRAMMING				
●	●	●	●	Single-dial programme selector
●		●	●	Interactive LCD display
●	●	●	●	Shorter programmes
				Electronic clock
●	●	●	●	Intensive
●	●	●	●	Energetic with pre-wash
●	●	●	●	Normal
●	●	●	●	Delicate
●	●	●	●	Hand wash (Wool)
●	●	●	●	Cold
●	●	●	●	Quick (30 minute)
				Fast: 4 kg in 30 minutes
				Fast: 2 kg in 15 minutes
				Antibacterial
				To remove difficult stains
				Eiderdown
				Curtains
				Mixed
OPERATING CONTROL				
24 h.	3, 6, 9 h.	24 h.	24 h.	Delayed start
●	●	●	●	Start / Stop
●	●	●	●	Start / Pause
●		●	●	Easy iron
●	●	●	●	Intensive Wash
●		●	●	Extra rinse
				Programme time/end adjustment
●	●	●	●	Spin and anti-crease control
●	●	●	●	Continual information on the washing process
●		●	●	Time remaining
●		●	●	Lock selection
				Indicators
SAFETY				
				Aquabloc
●	●	●	●	Suds control
●	●	●	●	Anti-overflow
TECHNICAL SPECIFICATIONS				
A+	A+	A+	A+	Energy class
A	A	A	A	Wash efficiency
C	C	B	C	Spin class efficiency
0.85	0.85	1.02	1.02	Electricity (kWh)*
46	46	49	49	Water (L)*
2,200	2,200	2,200	2,200	Total installed power (W)
220-240/50	220-240/50	220-240/50	220-240/50	Voltage / Frequency (V/Hz)
10	10	10	10	Current (A)
DIMENSIONS				
850	850	820 (*)	820 (*)	Height
590	590	590	590	Width
550	550	550	550	Depth

Washing machine accessories

ACC. SEC. HOSE

Code 995990012

EAN-13: 8413880070780

Optional anti-flood kit:


Mechanism that automatically cuts off water outflow if the water intake tube is broken. Suitable for the entire front-loading range.

Optional ITX kit

EAN-13: 8413880095653

Cod. 999010038

For the 3F-3612 and 3F-3610 IT model washing machine



Includes 6 supplementary 10-mm strips
(Max. height adjustment: 60 mm)

Electronic top-loading^{*} washing machines

		ELECTRONICS			
		1FET-313 W	1FET-211 W	1FET-109 W	1FET-107 W
GENERAL FEATURES					
Maximum spin speed (r.p.m.)		1,300	1,100	900	700
Wash capacity (kg.)		5.5	5.5	5.5	5.5
Variable Load		●	●	●	●
Self-cleaning filter		●	●	●	●
Auto-compensated door		●	●	●	●
Number of detergent sections in tray		4	4	4	4
Balance control		●	●	●	●
Gradual spin		●	●	●	●
Polypropylene drum		●	●	●	●
PROGRAMMING					
Single-dial programme selector		●	●	●	●
Delayed start		Display	Selector		
Spin speed and anti-crease selector		●	●	●	●
Hand Wash system		●	●	●	●
Programy	Energetic with pre-wash	●	●	●	●
	Normal	●	●	●	●
	Delicate	●	●	●	●
	Mixed	●	●	●	●
	Wool	●	●	●	●
	Quick	●	●	●	●
	Cold	●	●	●	●
Total number of wash programmes		15	15	15	15
OPERATING CONTROL					
Keys / Funciones	Delayed start	19 h.	19 h.		
	Start/Stop (mains power supply)	Selector	Selector	Selector	Selector
	Start / pause	●	●	●	●
	Speed / anti-crease	Selector	Selector	Selector	Selector
	Prewash	●	●	●	●
	Easy iron	●	●	●	●
	Extra rinse	●	●	●	●
Wash phase display		●	●	●	●
SAFETY					
Anti-overflow		●	●	●	●
Suds control		●	●	●	●
TECHNICAL SPECIFICATIONS					
Energy class		A	A	A	A
Wash efficiency		A	A	A	A
Spin class efficiency		B	C	C	D
Consumption	Electricity (kWh)	1.04	1.04	1.04	1.04
	Water (L)	52	52	52	52
Total installed power (W)		2,250	2,250	2,250	2,250
Voltage / Frequency (V/Hz)		230 / 50	230 / 50	230 / 50	230 / 50
Current (A)		10	10	10	10
DIMENSIONS					
Dimensions (mm)	Height	850	850	850	850
	Width	400	400	400	400
	Depth	600	600	600	600

(*) Consumption is measured at 60° C according to EN-60456

Electronic washer-dryer'

		ELECTRONICS	
		FREE-STANDING	BUILT-IN
		3FS-3611	3FS-3611 IT
GENERAL FEATURES			
Maximum spin speed (r.p.m.)		1,100	1,100
Wash capacity (kg.)		6	6
Drying capacity (kg)	Resistant clothing	3	3
	Delicate clothing	1.5	1.5
Electronic Variable Load		●	●
Accessible self-cleaning filter		●	●
Number of detergent sections in tray		3	3
ABS system		●	●
Condensation drying		●	●
Two-way spin drying		●	●
Glass door		●	●
Polypropylene drum		●	●
PROGRAMMING			
Single-dial programme selector		●	●
LCD display		●	●
Shorter programmes		●	●
Hand Wash system		●	●
Cooling cycle		●	●
Complete spin dry		●	●
Spin dry for ironing		●	●
Total number of wash programmes		16	16
OPERATING CONTROL			
Drying time selector		●	●
Buttons	Start / Stop	●	●
	Start / Pause	●	●
	Easy iron	●	●
	Intensive Wash	●	●
	Extra rinse	●	●
	Spin and anti-crease control	●	●
	Delayed start	24 h.	24 h.
Wash phase indicator		●	●
Time delay indicator		●	●
Countdown indicator		●	●
SAFETY			
Anti-overflow		●	●
Suds control		●	●
TECHNICAL SPECIFICATIONS			
Energy class		B	B
Wash efficiency		A	A
Wash and dry energy consumption (kWh) *		4.85	4.85
Wash and dry water consumption (L) *		105	105
Wash energy consumption (kWh) *		1.02	1.02
Wash water consumption (L)		49	49
Total installed power (W)		2,200	2,200
Voltage / Frequency (V/Hz)		220-240/50	220-240/50
Current (A)		10	10
DIMENSIONS			
Dimensions (mm)	Height	850	820
	Width	590	590
	Depth	550	550

(*) Consumption is measured at 60° C according to EN-50229

Washer-dryer accessories

ACC. SEC. HOSE

Code 995990012

EAN-13: 8413880070780

Optional anti-flood kit:


Mechanism that automatically cuts off water outflow if the water intake tube is broken.
Suitable for the entire front-loading range.

Optional ITX kit

EAN-13: 8413880095653

Cod. 999010038

For the 3FS-3611 IT model washer-dryer



Includes 6 supplementary 10-mm strips
(Max. height adjustment: 60 mm)



Fagor Electrodomésticos, S. Coop.

Tel. 943 03 71 00

Fax 943 03 71 19

Barrio San Andrés, 18

20500 MONDRAGÓN (Gipuzkoa)

www.fagor.com

info@fagor.com

